



Water Housings and Replacement Cartridges.



Above: Standard shaped 10" water housing and string wound element.

PART NO.	BSP	DESCRIPTION
A1020120WPR	3/4"	10" Long clear plastic bowl with pressure relief
A1020150	1"	10" Long, clear plastic bowl
A1030090WPR	1/2"	5" Long assembly with pressure relief button
A1030110WPR	1/2"	10" Long Assembly with pressure relief valve
A1030111	1/2"	10" Long Water Filter Assembly, no relief valve
A1030150WPR	3/4"	10" Long Water Filter Assembly with Relief Valve
A1030160WPR	3/4"	20" Long Water Filter Assembly with Relief Valve
A1030190WPR	1"	10" Long Water Filter Assembly with Relief Valve
A1050010WPR	1"	Aquabig Assembly 10" Long with Relief Valve
A1050020WPR	1.5"	Aquabig Assembly 10" Long with Relief Valve
A1050040	1.5"	Aquabig Assembly 20" Long
A8030210	1/4"	Aqua-mini Water Assembly

PART NUMBER	MICRON	LENGTH (INCHES)	TYPE
EBC10M94	10	10	BLOWN POLYESTER
EBC25M94	25	10	BLOWN POLYESTER
EBC50M94	50	10	BLOWN POLYESTER
EBC75M94	75	10	BLOWN POLYESTER
SWC1M10A	1	10	STRING WOUND
SWC100M10A	100	10	STRING WOUND
SWC10M10A	10	10	STRING WOUND
SWC10M20A	10	20	STRING WOUND
SWC25M10A	25	10	STRING WOUND
SWC5M10A	5	10	STRING WOUND
SWC50M10A	50	10	STRING WOUND
SWC75M10A	75	10	STRING WOUND
AVS5M20	5	20	BLOWN POLYESTER
AVS10M20	10	20	BLOWN POLYESTER
AVS5M10	5	10	BLOWN POLYESTER
AVS10M30	10	30	BLOWN POLYESTER
WP100M10A	100	10	STRING WOUND
WP25M10A	25	10	STRING WOUND



### Big Blue Housing – 20" Length



Above: Big Blue Housings 10" and 20" styles. Chunkier than the normal shaped housings.

All polypropylene filter housing suitable for 10 & 20 inch long filter cartridges up to 4 ½ inch diameter with double open ended knife edge seal fittings. The housing is supplied with a pressure release button in the cap. Inlet and outlet connections are BSP female threaded. Housings are usually supplied WITHOUT an element to suit. Maximum operating pressure 8 bar at 50 degrees Celsius.

Part number: A1050030 – 1" BSP PORTS 20" LONG

Part number: A1050040 – 1 ½" BSP PORTS 20" LONG

Also available to suit are:

Part number: AQACPN020020 – MOUNTING BRACKET

Part number: AQAC60100990 – BOWL SPANNER



## Carbon Activated Elements



Above: GAC ELEMENTS

Carbon filters are used to take odours and bad tastes from water. They come in granulated carbon or as a solid carbon core filter. They are available as elements or inline filters. They are usually available from stock or within a couple of days otherwise.

### **GAC 9 – ACTIVATED CARBON GRANULES – 20 MICRON**

#### **A1CRO (GAC) - INLINE CARBON FILTERS**

¼" female threads

#### **PAC9 – BONDED CARBON ELEMENT**

The difference between the GAC9 and PAC9 is as follows: GAC9 has two cylinders inner and outer separated by the carbon granule membrane. The water flows into the outer cylinder, through the carbon and out through the inner cylinder. The PAC9 has an outside-in flow like most normal cartridge/element style filters (due to its solid structure media.)

The GAC9 rattles when shaken (granules), the PAC9 doesn't (solid carbon core).